


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Bi-1064
March, 1930.

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF BIOLOGICAL SURVEY



DEALERS IN QUAIL FOOD PLANTS
(Eastern United States)

This list is prepared for the information of correspondents, and the inclusion of names in it implies no indorsement as to quality and prices or as to the suitability of the plants listed for particular areas. Names of dealers will be added to any part of the list by notifying the Biological Survey that they are prepared to deliver the items concerned.

Reports on the Cooperative Quail Investigation may be consulted for information as to when, where, and under what conditions food may be planted for quail in the Southeast. Suggestions for improving coverts for upland game birds are contained also in Farmers' Bulletin 1613-F. Lists of fruit-bearing shrubs and trees suitable to the Northeast, the Middle Atlantic, and the East Central States may be found in Farmers' Bulletins 621-F, 844-F, and 912-F, respectively. These publications may be obtained upon application to the United States Department of Agriculture, Washington, D. C.

BEGGARWEED, FLORIDA. Synonyms: Beggar's ticks, beggar's lice, tick-trefoil, Meibomia purpurea. Quail eat the seeds of more than fifteen native beggar-weeds, but the species listed is the only one obtainable on the market.

Thomas Drug Store, Thomasville, Ga.
Frank J. Sadler, Monticello, Fla.
Charles Leach, Monticello, Fla.
J. Steckler Seed Co., 512-516 Gravier St., New Orleans, La.

BENNE. Synonyms: Sesame, Sesamum orientale. Suited to Southeast only.

Thomas Drug Store, Thomasville, Ga.
Stumpp & Walter, 30-32 Barclay St., New York, N. Y.
F. H. Boehling & Co., Richmond, Va.
Terrell's Aquatic Farm, Oshkosh, Wis.

BITTERSWEET. Celastrus scandens.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)
Joseph Breck & Sons, 85 State St., Boston, Mass.
The Framingham Nurseries, Framingham, Mass.
New England Nurseries Co., Bedford, Mass.
J. M. Bassett, Hammonton, N. J.
Bobbink & Atkins, Rutherford, N. J.
Lindley Nursery Co., Pomona, N. C.
E. C. Robbins, Ashford, N. C.
Henry A. Dreer, 1306 Spring Garden St., Philadelphia, Pa.
Conyers B. Fleu, Germantown, Pa. (Seeds)
Terrell's Aquatic Farm, Oshkosh, Wis.

BUCKWHEAT. Fagopyrum esculentum. Valuable for quail food in areas where it is normally grown.

Seed obtainable from larger dealers in farm seeds.

BUSHCLOVER. Synonyms: Japan clover, Lespedeza. Seed may be obtained from dealers in farm seeds in the southern two-thirds of the country.

CHERRIES AND PLUMS. *Prunus* of various species. It is best to use species native to a given locality.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)

Joseph Breck & Sons, 85 State St., Boston, Mass.

Framingham Nurseries, Framingham, Mass.

Harlan P. Kelsey, East Boxford, Mass.

New England Nurseries Co., Bedford, Mass.

J. M. Bassett, Hammonton, N. J.

Bobbink & Atkins, Rutherford, N. J.

F. & F. Nurseries, Springfield, N. J.

Conyers B. Fleu, Germantown, Pa. (Seeds)

Terrell's Aquatic Farm, Oshkosh, Wis.

CHUFA. Cyperus esculentus. Valuable for wild turkeys, and for quail in fields that are "hogged". Tubers may be obtained from practically all seedsmen.

CLOVER, CRIMSON. Trifolium incarnatum. Furnishes valuable green food for quail.

Thomas Drug Store, Thomasville, Ga.

J. Steckler Seed Co., 512-516 Gravier St., New Orleans, La.

Wm. Scarlett & Co., Baltimore, Md.

Simpson & Co., Baltimore, Md.

Henry A. Dreer, 1306 Spring Garden St., Philadelphia, Pa.

Philadelphia Seed Co., Philadelphia, Pa.

Peter Henderson & Co., 35-37 Cortlandt St., New York, N. Y.

Diggs & Beadels, Inc., Richmond, Va.

T. W. Wood & Sons, Richmond, Va.

COWPEAS. Vigna. Many varieties, some better adapted to particular localities than others. Advice can be had from dealers.

Bolgrain & Co., Augusta, Ga.

Hastings Seed Company, Atlanta, Ga.

Thomas Drug Store, Thomasville, Ga.

Steckler Seed Co., 512-516 Gravier St., New Orleans, La.

Wm. Scarlett & Co., Baltimore, Md.

Simpson & Co., Baltimore, Md.

Peter Henderson & Co., 35-37 Cortlandt St., New York, N. Y.

Henry A. Dreer, 1306 Spring Garden St., Philadelphia, Pa.

McKay-Reece & Co., Nashville, Tenn.

Schivill & Co., Memphis, Tenn.

Diggs & Beadels, Inc., Richmond, Va.

T. W. Wood & Sons, Richmond, Va.

GRAPES. Vitis of various species. Wild grapes may be used to provide both fruit and refuge shelter.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)
Framingham Nurseries, Framingham, Mass.
New England Nurseries Co., Bedford, Mass.
Terrell's Aquatic Farm, Oshkosh, Wis.

HONEYSUCKLES. Lonicera of various species.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)
Bay State Nurseries, North Abington, Mass.
Framingham Nurseries, Framingham, Mass.
Harlan P. Kelsey, East Boxford, Mass.
New England Nurseries Co., Bedford, Mass.
Little Tree Farms, Framingham Centre, Mass.
Bobbink & Atkins, Rutherford, N. J.
F. & F. Nurseries, Springfield, N. J.
E. C. Robbins, Ashford, N. C.
Conyers B. Fleu, Germantown, Pa. (Seeds)
Terrell's Aquatic Farm, Oshkosh, Wis.

MILLETS. Almost any of the millets handled by dealers in farm seeds will produce food for quail. If varieties are used that experience has taught are suitable for a given region and soil type, the results from a quail feeding point of view probably will be satisfactory.

Brown top millet (Panicum adspersum) may be obtained from the following dealers:

Hastings Seed Co., Atlanta, Ga.
J.R. Kelley, Dixie Seed Farms, Cordele, Ga.
Thomas Drug Store, Thomasville, Ga.
N. L. Willet Seed Co., Augusta, Ga.

MULBERRY. Morus rubra. Everbearing is a good variety for the Southeast. Planting stock can be obtained from most nurserymen.

PEA, AUSTRIAN WINTER. Pisum arvense. Good for spring quail food in the Southeast.

Dealers---same as for soybeans, and, in addition,
Thomas Drug Store, Thomasville, Ga.

PEANUT. Arachis hypogaea. Valuable for wild turkeys, and for quail in fields that are "hogged". Obtainable from southern dealers in farm seeds.

RATTLE-BOX. Crotalaria. Crotalaria striata has been planted for quail in the South; value not yet demonstrated.

RATTLE-BOX, - (Con't)

J. R. Gunn, Kissimmee, Fla.
Louis Halsey, Kissimmee, Fla.
Kilgore Seed Co., Plant City, Fla.
E. A. Martin Seed Co., Jacksonville, Fla.
Clay Partin, Route 2, Kissimmee, Fla.
W. G. Ranney, Monticello, Fla.
Chas. A. Scott, Ft. Pierce, Fla.
B. F. Williamson, Gainesville, Fla.

RICE, UPLAND. Oryza sativa.

H. G. Hastings & Co., Atlanta, Ga.
N. W. Johnson Seed Co., Atlanta, Ga.
N. L. Willet Drug Co., Augusta, Ga.
J. Steckler Seed Co., 512-516 Gravier St., New Orleans, La.

SMARTWEEDS. Polygonum of various species. Suitable for moist situation, especially north.

Terrell's Aquatic Farm, Oshkosh, Wis.
Wisconsin's Aquatic Nurseries, Oshkosh, Wis.

SORGHUM. Holcus sorghum. The grain sorghums, especially Egyptian wheat, milo maize, and Kaffir corn are planted extensively for quail. Seed obtainable from any of the larger dealers in farm seeds.

SOYBEANS. Soja max. Many varieties, some much better adapted to particular localities than others. Seed and inoculating material obtainable from the larger dealers in farm seeds.

Belgrain & Co., Augusta, Ga.
Hastings & Co., Atlanta, Ga.
Steckler Seed Co., 512-516 Gravier St., New Orleans, La.
Wm. Scarlett & Co., Baltimore, Md.
Peter Henderson & Co., 35-37 Cortlandt St., New York, N. Y.
Henry A. Dreer, 1306 Spring Garden St., Philadelphia, Pa.
Philadelphia Seed Co., Philadelphia, Pa.
McKay-Reece & Co., Nashville, Tenn.
Schivill & Co., Memphis, Tenn.
Dings & Beadels, Inc., Richmond, Va.
T. W. Wood & Sons, Richmond, Va.
Simpson & Co., Baltimore, Md.

SUMACS. Rhus of various species.


Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)
Joseph Breck & Sons, 35 State St., Boston, Mass.
Framingham Nurseries, Framingham, Mass.
Harlan P. Kelsey, East Boxford, Mass.
New England Nurseries Co., Bedford, Mass.
Bobbink & Atkins, Rutherford, N. J.
F. & F. Nurseries, Springfield, N. J.

SUMACS (Con't)

E. C. Robbins, Ashford, N. C.
Conyers B. Fleu, Germantown, Pa. (Seeds)
Wescott's Nursery Co., Falls Church, Va.
Terrell's Aquatic Farm, Oshkosh, Wis.

VETCH. Vicia Two species, the narrow-leaf vetch (Vicia angustifolia) and the hairy, or sand, vetch (V. villosa), may be planted for spring quail food.
Dealers: Same as for soybeans.

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF BIOLOGICAL SURVEY



DEALERS IN QUAIL FOOD PLANTS
(Eastern United States)

This list is prepared for the information of correspondents, and the inclusion of names in it implies no indorsement as to quality and prices or as to the suitability of the plants listed for particular areas. Names of dealers will be added to any part of the list by notifying the Biological Survey that they are prepared to deliver the items concerned.

The final report on the Cooperative quail investigation may be consulted for information as to when, where, and under what conditions foods may be planted for quail in the Southeast. This book entitled "The Bobwhite Quail: Its Habits, Preservation, and Increase," a royal octavo volume of about 600 pages, with 69 full page illustrations, 5 of them in color, may be obtained from Charles Scribner's Sons, 597 Fifth Avenue, New York, N. Y., at \$6.00 a copy. Suggestions for improving coverts for upland game birds are contained in Farmers' Bulletin 1613-F. Lists of fruit-bearing shrubs and trees suitable to the Northeast, the Middle Atlantic, and the East Central States may be found in Farmers' Bulletins 621-F, 844-F, and 912-F, respectively. These publications may be obtained upon application to the United States Department of Agriculture, Washington, D. C.

BEGGARWEED, FLORIDA. Synonyms: Beggar's ticks, beggar's lice, tick-trefoil, Meibomia purpurea. Quail eat the seeds of more than fifteen native beggar-weeds, but the species listed is the only one obtainable on the market.

V. R. Bush & Co., 116-118 North St., Albany, Ga.
Thomas Drug Store, Thomasville, Ga.
Frank J. Sadler, Monticello, Fla.
Charles Leach, Monticello, Fla.
J. Steckler Seed Co., 512-516 Gravier St., New Orleans, La.

BENNE. Synonyms: Sesame, Sesamum orientale. Suited to Southeast only.

V. R. Bush & Co., 116-118 North St., Albany, Ga.
Thomas Drug Store, Thomasville, Ga.
Stumpp & Walter, 30-32 Barclay St., New York, N. Y.
Stateburgh Forest Nurseries, Sumter, S. C.
F. H. Boehling & Co., Richmond, Va.
Terrell's Aquatic Farm, Oshkosh, Wis.

BITTERSWEET. Celastrus scandens.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)
Joseph Breck & Sons, 85 State St., Boston, Mass.
The Framingham Nurseries, Framingham, Mass.
New England Nurseries Co., Bedford, Mass.
J. M. Bassett, Hamonton, N. J.
Bobbink & Atkins, Rutherford, N. J.
Lindley Nursery Co., Pomona, N. C.
E. C. Robbins, Ashford, N. C.
Henry A. Dreer, 1306 Spring Garden St., Philadelphia, Pa.
Conyers B. Fleu, Germantown, Pa. (Seeds)
Terrell's Aquatic Farm, Oshkosh, Wis.

BUCKWHEAT. Eragopyrum esculentum. Valuable for quail food in areas where it is normally grown.

Seed obtainable from larger dealers in farm seeds.

BUSHCLOVER. Synonyms: Japan clover, Lespedeza. Seed may be obtained from dealers in farm seeds in the southern two-thirds of the country.

CHERRIES AND PLUMS. Prunes of various species. It is best to use those native to a given locality.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)

Joseph Breck & Sons, 85 State St., Boston, Mass.

Framingham Nurseries, Framingham, Mass.

Harlan P. Kelsey, East Boxford, Mass.

New England Nurseries Co., Bedford, Mass.

J. M. Bassett, Hammonton, N. J.

Bobbinck & Atkins, Rutherford, N. J.

F. & F. Nurseries, Springfield, N. J.

Conyers B. Fleu, Germantown, Pa. (Seeds)

Terrell's Aquatic Farm, Oshkosh, Wis.

CHUFA. Cyperus esculentus. Valuable for wild turkeys, and for quail in fields that are "hogged". Tubers may be obtained from practically all seedsmen.

CLOVER, CRIMSON. Trifolium incarnatum. Furnishes valuable green food for quail.

V. R. Bush & Co., 116-118 North St., Albany, Ga.

Thomas Drug Store, Thomasville, Ga.

J. Steckler Seed Co., 512-516 Gravier St., New Orleans, La.

Wm. Scarlett & Co., Baltimore, Md.

Simpson & Co., Baltimore, Md.

Henry A. Dreer, 1306 Spring Garden St., Philadelphia, Pa.

Philadelphia Seed Co., Philadelphia, Pa.

Peter Henderson & Co., 35-37 Cortlandt St., New York, N. Y.

Diggs & Beadels, Inc., Richmond, Va.

T. W. Wood & Sons, Richmond, Va.

CONPEAS. Vigna. Many varieties, some better adapted to particular localities than others. Advice can be had from dealers.

V. R. Bush & Co., 116-118 North St., Albany, Ga.

Bolgrain & Co., Augusta, Ga.

Hastings Seed Company, Atlanta, Ga.

Thomas Drug Store, Thomasville, Ga.

Steckler Seed Co., 512-516 Gravier St., New Orleans, La.

Wm. Scarlett & Co., Baltimore, Md.

Simpson & Co., Baltimore, Md.

Peter Henderson & Co., 35-37 Cortlandt St., New York, N. Y.

Henry A. Dreer, 1306 Spring Garden St., Philadelphia, Pa.

McKay-Reece & Co., Nashville, Tenn.

Schivill & Co., Memphis, Tenn.

Diggs & Beadels, Inc., Richmond, Va.

T. W. Wood & Sons, Richmond, Va.

GRAPES. Vitis of various species.. Wild grapes may be used to provide both fruit and refuge shelter.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)
Framingham Nurseries, Framingham, Mass..
New England Nurseries Co., Bedford, Mass..
Terrell's Aquatic Farm, Oshkosh, Wis.

HONEYSUCKLES. Lonicera of various species.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)
Bay State Nurseries, North Abington, Mass..
Framingham Nurseries, Framingham, Mass..
Harlan P. Kelsey, East Boxford, Mass..
New England Nurseries Co., Bedford, Mass..
Little Tree Farms, Framingham Centre, Mass..
Bobbink & Atkins, Rutherford, N. J..
F. & F. Nurseries, Springfield, N. J..
E. C. Robbins, Ashford, N. C..
Conyers B. Fleu, Germantown, Pa. (Seeds)
Terrell's Aquatic Farm, Oshkosh, Wis.

MILLETS. Almost any of the millets handled by dealers in farm seeds will produce food for quail. If varieties are used that experience has taught are suitable for a given region and soil type, the results from a quail feeding point of view probably will be satisfactory.

Brown top millet (Panicum adspersum) may be obtained from the following dealers:

Hastings Seed Co., Atlanta, Ga..
J. R. Kelley, Dixie Seed Farms, Cordele, Ga..
Thomas Drug Store, Thomasville, Ga..
N. L. Willet Seed Co., Augusta, Ga.

MULBERRY. Morus rubra. Everbearing is a good variety for the Southeast. Planting stock can be obtained from most nurserymen.

PEA, AUSTRIAN WINTER. Pisum arvense. Good for spring quail food in the Southeast

Dealers--same as for soybeans, and, in addition,
Thomas Drug Store, Thomasville, Ga.

PEANUT. Arachis hypogaea. Valuable for wild turkeys, and for quail in fields that are "hogged". Obtainable from southern dealers in farm seeds.

RATTLE-BOX. Crotalaria. Crotalaria striata has been planted for quail in the South; value not yet demonstrated.

RATTLE-BOX, - (Con't)

J. R. Gunn, Kissimmee, Fla.
Louis Halsey, Kissimmee, Fla.
Kilgore Seed Co., Plant City, Fla.
E. A. Martin Seed Co., Jacksonville, Fla.
Clay Partin, Route 2, Kissimmee, Fla.
W. G. Ranney, Monticello, Fla.
Chas. A. Scott, Ft. Pierce, Fla.
B. F. Williamson, Gainesville, Fla.
V. R. Bush & Co., 116-118 North St., Albany, Ga.

RICE, UPLAND. Cryza sativa.

V. R. Bush & Co., 116-118 North St., Albany, Ga.
H. G. Hastings & Co., Atlanta, Ga.
N. W. Johnson Seed Co., Atlanta, Ga.
N. L. Willet Drug Co., Augusta, Ga.
J. Steckler Seed Co., 512-516 Gravier St., New Orleans, La.

SMARTWEEDS. Polygonum of various species. Suitable for moist situations, especially north.

Terrell's Aquatic Farm, Oshkosh, Wis.
Wisconsin's Aquatic Nurseries, Oshkosh, Wis.

SORGHUM. Helous sorghum. The grain sorghums, especially Egyptian wheat, milo maize and Kaffir corn are planted extensively for quail. Seed obtainable from any of the larger dealers in farm seeds.

SOYBEANS. Soja max. Many varieties, some much better adapted to particular localities than others. Seed and inoculating material obtainable from the larger dealers in farm seeds.

V. R. Bush & Co., 116-118 North St., Albany, Ga.
Bolgrain & Co., Augusta, Ga.
Hastings & Co., Atlanta, Ga.
Steckler Seed Co., 512-516 Gravier St., New Orleans, La.
Wm. Scarlett & Co., Baltimore, Md.
Peter Henderson & Co., 35-37 Cortlandt St., New York, N. Y.
Henry A. Dreer, 1306 Spring Garden St., Philadelphia, Pa.
Philadelphia Seed Co., Philadelphia, Pa.
McKay-Reece & Co., Nashville, Tenn.
Schivill & Co., Memphis, Tenn.
Diggs & Beadels, Inc., Richmond, Va.
Simpson & Co., Baltimore, Md.

SUMACS. Rhus of various species.

Otto Katzenstein & Co., Box 259, Atlanta, Ga. (Seeds)
Joseph Breck & Sons, 85 State St., Boston, Mass.
Framingham Nurseries, Framingham, Mass.
Harlan P. Kelsey, East Boxford, Mass.
New England Nurseries Co., Bedford, Mass.
Bobbink & Atkins, Rutherford, N. J.
F. & F. Nurseries, Springfield, N. J.

SUMACS (Con't)

E. C. Robbins, Ashford, N. C.
Conyers B. Fleu, Germantown, Pa. (Seeds)
Wescott's Nursery Co., Falls Church, Va.
Terrell's Aquatic Farm, Oshkosh, Wis.

VETCH. Vicia Two species, the narrow-leaf vetch (Vicia angustifolia) and the hairy, or sand, vetch (V. villosa), may be planted for spring quail food.
Dealers: Same as for soybeans.

